### RETRACTION

**Open Access** 

# Retraction Note: Plasma protein adsorption to zwitterionic poly (carboxybetaine methacrylate) modified surfaces: chain chemistry and end-group effects on protein adsorption kinetics, adsorbed amounts and immunoblots

Sinoj Abraham<sup>1,2</sup>, Markian S Bahniuk<sup>3</sup> and Larry D Unsworth<sup>1,2,3\*</sup>

### *Retraction Note to: Biointerphases (2012) 7:40. DOI 10.1007/ s13758-012-0040-z*

#### Retraction

This article [1] has been retracted on request of the corresponding author due to a concern regarding the utilization of TGA for determining end-grafted polymer chain density using these relatively low surface area substrates (as opposed to higher surface area systems like nanoparticles). Despite the proper controls being done and the data being handled properly, it is evident that the mass change on these surfaces may be below the limit of the sensitivity of TGA. The article will be corrected and resubmitted for another peer review. Please note that the other experiments (ellipsometry and protein adsorption) were conducted using well established techniques and correctly handled and represented within this article (with specified limitations acknowledged appropriately). It is important to clarify that honest error, and not an ethical issue, was the cause for the retraction.

The online version of the original article can be found at http://dx.doi.org/10.1007/s13758-012-0040-z.

Full list of author information is available at the end of the article



Author details

<sup>1</sup>Chemical and Materials Engineering Department, University of Alberta, Edmonton, AB, Canada. <sup>2</sup>National Research Council (Canada), National Institute for Nanotechnology, Edmonton, AB, Canada. <sup>3</sup>Biomedical Engineering Department, University of Alberta, Edmonton, AB, Canada.

#### Received: 17 April 2013 Accepted: 19 April 2013 Published: 15 May 2013

#### Reference

 Abraham S, Bahniuk MS, Unsworth LD (2012) Plasma protein adsorption to zwitterionic poly (carboxybetaine methacrylate) modified surfaces: chain chemistry and end-group effects on protein adsorption kinetics, adsorbed amounts and Immunoblots. Biointerphases 7:40. doi:10.1007/s13758-012-0040-z

#### doi:10.1186/1559-4106-8-11

**Cite this article as:** Abraham *et al.*: Retraction: Plasma protein adsorption to zwitterionic poly (carboxybetaine methacrylate) modified surfaces: chain chemistry and end-group effects on protein adsorption kinetics, adsorbed amounts and immunoblots. *Biointerphases* 2013 **8**:11.

## Submit your manuscript to a SpringerOpen<sup>®</sup> journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at > springeropen.com

© 2013 Abraham et al.; licensee Springer. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

<sup>\*</sup> Correspondence: larry.unsworth@ualberta.ca

<sup>&</sup>lt;sup>1</sup>Chemical and Materials Engineering Department, University of Alberta, Edmonton, AB, Canada

<sup>&</sup>lt;sup>2</sup>National Research Council (Canada), National Institute for Nanotechnology, Edmonton, AB, Canada